



Poz.	Numer zamówieniowy	Nazwa	Liczba sztuk
1		Nakrętka M8-8-B-Fe/Zn5 PN-86/M-82144	8
2		Śruba dwustronna M8x35-5.8-Fe/Zn5 PN-90/M-82131	4
3		Podkładka	4
4	601.22.101.04.7	Głowica	1
5	* 601.22.103.14.4	Uszczelka głowicy	1
6	601.22.001.02.0	Płyta zaworowa kompletna	1
7	601.10.133.04.6	Listwa zaworu lub	2
7	601.10.115.04.4	Listwa zaworu	2
8	* 601.22.104.14.7	Uszczelka płyty	1
9	601.22.116.04	Cylinder	1
10	* 601.01.104.14.9	Uszczelka cylindra	1
11	* 602.09.105.04.0	Dociskacz	1
12		Podkładka sprężysta Z 8,2 Fe/Fg PN-77/M-82008	4
13	601.22.012.02	Tłok kompletny	1
14		Komplet pierścieni tłokowych	1
15		Pierścień dystansowy	2
16	601.15.004.02.9	Korbowód kompletny	1
17		Wpust czólenkowy 5x6,5 Fe/Fg PN-88/M-85008	1
18	601.22.117.04	Wał korbowy	1
19		Nakrętka M20x1.5-04-B-Fe/Fg PN-86/M-82153	1
20		Podkładka 21 Fe/Zn5 PN-82/M-82022	1
21	* 781.10.005.04.0	Pierścień uszczelniający 1.A25x62x7 PN-81/M-86960	1
22		Pierścień osadczy W 62 PN-81/M-85111	1
23		Łożysko 6305 PN-85/M-86100	2
24		Obudowa kompletna	1
25	* 601.11.102.14.0	Uszczelka	1
26		Śruba dwustronna 1M8x22-8.8-Fe/Zn5 PN-90/M-82137	4
27		Pokrywka	1
28	* 601.01.135.14.2	Uszczelka odpowietrznika	1
29		Wkręt M6x12-5.8-Fe/Zn5 PN-85/M-82207	3
30		Korek	1
31		Uszczelka aluminiowa 0-6(Al) BN-81/3617-07	1
32	601.23.001.02	Wskaźnik kompletny	1
33	* 781.10.010.04.0	Pierścień uszczelniający	2
34		Obsada wskaźnika	1
35		Uszczelka korka wlewu	1

Legenda :

* Przy naprawach te części powinny być wymienione.

Ref.no.	Ordering number	Description	Quantity
1		Nut M8-8-B-Fe/Zn5 PN-86/M-82144	8
2		Stud bolt M8x35-5.8-Fe/Zn5 PN-90/M-82131	4
3		Washer	4
4	601.22.101.04.7	Head	1
5	* 601.22.103.14.4	Gasket	1
6	601.22.001.02.0	Valve plate	1
7	601.10.133.04.6	Valve lamelle or	2
7	601.10.115.04.4	Valve lamelle	2
8	* 601.22.104.14.7	Gasket	1
9	601.22.116.04	Cylinder	1
10	* 601.01.104.14.9	Cylinder gasket	1
11	* 602.09.105.04.0	Blankholder	1
12		Spring washer Z 8,2 Fe/Fg PN-77/M-82008	4
13	601.22.012.02	Piston compl.	1
14		Piston ring - kit	1
15		Ring	2
16	601.15.004.02.9	Connecting rod compl.	1
17		Key 5x6,5 Fe/Fg PN-88/M-85008	1
18	601.22.117.04	Crankshaft	1
19		Nut M20x1.5-04-B-Fe/Fg PN-86/M-82153	1
20		Washer 21 Fe/Zn5 PN-82/M-82022	1
21	* 781.10.005.04.0	Rotary shaft seal 1.A25x62x7 PN-81/M-86960	1
22		Circlip W 62 PN-81/M-85111	1
23		Ball bearing 6305 PN-85/M-86100	2
24		Crankcase compl.	1
25	* 601.11.102.14.0	Gasket	1
26		Stud bolt 1M8x22-8.8-Fe/Zn5 PN-90/M-82137	4
27		Cap	1
28	* 601.01.135.14.2	Gasket	1
29		Screw M6x12-5.8-Fe/Zn5 PN-85/M-82207	3
30		Plug	1
31		Sealing ring 0-6(Al) BN-81/3617-07	1
32	601.23.001.02	Dip stick	1
33	* 781.10.010.04.0	Sealing ring	2
34		Stick holder	1
35		Gasket	1

Legend:

* At repairs these parts should be replaced.

Pos.	Bestellnummer	Benennung	Stückzahl
1		Sechskantmutter M8-8-B-Fe/Zn5 PN-86/M-82144	8
2		Stiftschraube M8x35-5.8-Fe/Zn5 PN-90/M-82131	4
3		Scheibe	4
4	601.22.101.04.7	Zylinderkopf	1
5	* 601.22.103.14.4	Kopfdichtung	1
6	601.22.001.02.0	Lamellenventil vollst.	1
7	601.10.133.04.6	Lamelle oder	2
7	601.10.115.04.4	Lamelle	2
8	* 601.22.104.14.7	Dichtung	1
9	601.22.116.04	Zylinder	1
10	* 601.01.104.14.9	Zylinderdichtung	1
11	* 602.09.105.04.0	Gegenhalter	1
12		Federring Z 8,2 Fe/Fg PN-77/M-82008	4
13	601.22.012.02	Kolben vollst.	1
14		Kolbenringsatz	1
15		Ring	2
16	601.15.004.02.9	Pleuelstange vollst.	1
17		Scheibenfeder 5x6,5 Fe/Fg PN-88/M-85008	1
18	601.22.117.04	Kurbelwelle	1
19		Sechskantmutter M20x1.5-04-B-Fe/Fg PN-86/M-82153	1
20		Scheibe 21 Fe/Zn5 PN-82/M-82022	1
21	* 781.10.005.04.0	Wellendichtring 1.A25x62x7 PN-81/M-86960	1
22		Sicherungsring W 62 PN-81/M-85111	1
23		Kugellager 6305 PN-85/M-86100	2
24		Kurbelgehäuse vollst.	1
25	* 601.11.102.14.0	Dichtung	1
26		Stiftschraube 1M8x22-8.8-Fe/Zn5 PN-90/M-82137	4
27		Deckel	1
28	* 601.01.135.14.2	Dichtung	1
29		Senkschraube M6x12-5.8-Fe/Zn5 PN-85/M-82207	3
30		Stopfen	1
31		Dichtring 0-6(AI) BN-81/3617-07	1
32	601.23.001.02	Ölmeßstab vollst.	1
33	* 781.10.010.04.0	O-ring	2
34		Anzeigehalter	1
35		Dichtung	1

Legende:

* Bei Reparaturen sollten diese Teile ersetzt werden.